

Work Order ID 161564

Thursday, May 18, 2017 12:51:52 PM

161564

Page 1

Item ID: D350-689-023

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Floor Provisions Energy Attenuating Seat Compatible

Start Date: 5/18/2017 Start Qty: 1.00

Cust Item ID:

Required Date: 6/8/2017 Req'd Qty: 1.00

Customer:

Reference:

Approvals: Process Plan: **DAS 21** Date: **MAY 18 2017**

Tooling: _____ Date: _____

Run Start ***NR1***QC: **DAS 21** Date: _____

SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
IIN-D350-689	C

DAS 6
9-89 JUN 06 2017

100 Document Control 0.00

100

DC Memo 0.00

Doc.Control -USB or Paperwork Photocopy bluefile and create labels per PPP D350-689-023 CHG004

DAS 28
9-89 JUN 12 2017

110 Pick Kit 0.00

110

Packaging Memo 0.00

Packaging

DAS 27
9-89 JUN 09 2017

120 QC4- 100% Inspect kits for completeness 0.00

120

QC Memo 0.03

Quality Control

DAS 28
9-89 JUN 12 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Work Order ID 161564

Thursday, May 18, 2017 12:51:53 PM

161564

Page 2

Item ID: D350-689-023

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Floor Provisions Energy Attenuating Seat Compatible

Start Date: 5/18/2017 Start Qty: 1.00 ***1***

Cust Item ID:

Required Date: 6/8/2017 Req'd Qty: 1.00 ***1***

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Identify as per dwg & Stock Location: _____	0.00							
130	Packaging								
Packaging	Memo	0.00							
Packaging	Identify and pack for shipping as per PPP D350-689-023 Location: FG027								
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.10							
Quality Control									

DAS
28
9-89

JUN 12 2017

DAS
21
9-89

JUN 13 2017

DAS
21
9-89

JUN 13 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Picklist Print

Thursday, May 18, 2017 12:51:56 PM

Page 1

Work Order ID: 161564

161564

Parent Item: D350-689-023

D350-689-023

Parent Item Name: Floor Provisions Energy Attenuating Seat Compatible

Start Date: 5/18/2017

Required Date: 6/8/2017

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev:A 08-12-23 new issue DD verified by:EC IPP Rev:B
revise route seq DD 10.02.12 vrified byJLM IPP Rev:C chg003 DD
11.09.28 verified by:JLM IPP Rev:D 12.01.12 now @
CHG004 (ecn12-501) DD VERF:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D4575-1 *D4575-1* Beam		Manufactured	No	ST259		110	Each	0.0000	1	1		DAS 6 9-89	DAS 27 9-89
D4575-3 *D4575-3* Doubler		Manufactured	No	ST259		110	Each	1.0000	1	1		DAS 6 9-89	DAS 27 9-89
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST259		1							
				155688		1							
D3027-7 *D3027-7* Clip		Manufactured	No			110	Each	4.0000	4	4		DAS 6 9-89	DAS 27 9-89
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST015		4							
				158166		4							
D3811-041 *D3811-041* Seat Track Assembly		Manufactured	No			110	Each	0.0000	1	1		DAS 6 9-89	DAS 27 9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐	OTHER : _____							

Picklist Print

Thursday, May 18, 2017 12:51:56 PM

Page 2

Work Order ID: 161564

161564

Parent Item: D350-689-023

D350-689-023

Parent Item Name: Floor Provisions Energy Attenuating Seat Compatible

Start Date: 5/18/2017

Required Date: 6/8/2017

Start Qty: 1.00

Required Qty: 1.00

MS21042L3

Purchased

No

110

Each

1,977.000

9

9

MS21042L3

Nut

**

DAS
6
9-89

DAS
27
9-89

JUN 09 2017

Location

Loc Qty

Loc Code

CCK007

1000

m137495

1000

FP001

91

m135945

91

GA

464

m134360

102

M136665

362

ST303

422

m137321

422

9

DAS
28
9-89

MS24694-S50

Purchased

No

110

Each

163.0000

9

9

MS24694-S50

Screw

**

DAS
6
9-89

DAS
27
9-89

JUN 09 2017

Location

Loc Qty

Loc Code

GA

18

m134370

18

ST284

145

m137412

145

9

DAS
28
9-89

NAS1149D0363J

Purchased

No

110

Each

380.0000

9

9

NAS1149D0363J

Washer

**

DAS
6
9-89

DAS
27
9-89

JUN 09 2017

Location

Loc Qty

Loc Code

GA

13

m134055

13

ST263

367

m137164

367

137581

DAS
28
9-89

Thursday, May 18, 2017 12:51:56 PM

Shop Packet Print

Page 2

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐				
OTHER : ☐									

5.0 PARTS LIST

Qty -011	Qty -013	Qty -021	Qty -023	Qty -041	Qty -043	Part Number	Description
X						D350-689-011	DUAL HIGH BACK SEAT INSTALLATION, LH
1	X					D350-689-013	FLOOR PROVISIONS KIT
		X				D350-689-021	DUAL HIGH BACK SEAT INSTALLATION, LH
		1	X			D350-689-023	ENERGY ATTENUATING FLOOR PROVISIONS KIT
1				X		D350-689-041	DUAL HIGH BACK SEAT ASSEMBLY
		1			X	D350-689-043	DUAL HIGH BACK SEAT ASSEMBLY
1		1				D3018-1	SEAT CUSHION
1		1				D3019-1	BACK CUSHION
	1					D3025-1	BEAM
	1					D3027-1	CLIP
	1					D3027-3	CLIP
	1					D3027-5	CLIP
	4		4			D3027-7	CLIP
				4		D3028-1	STUD
				2		D3029-1	SPRING
				2		D3030-1	LOCK
	1					D3032-1	SPACER
	2					D3033-1	SEAT TRACK
	1					D3234-1	DOUBLER
	2					D3234-5	SPACER
					2	D3808-041	SEAT RAIL ASSEMBLY
					4	D3809-1	SLIDING BLOCK
			1			D3811-041	SEAT TRACK ASSEMBLY
	1		1			D4575-1	BEAM
	1		1			D4575-3	DOUBLER
				1	1	D5162-041	SEAT STRUCTURE ASSEMBLY
			9			MS21042L3	NUT (OR MS21042-3)
	12					MS21059L3	NUTPLATE
	2					MS24693-S273	SCREW
			9			MS24694-S50	SCREW
	6					MS27039-1-10	SCREW
	6					NAS1149D0332J	WASHER (OR AN960JD10L)
			9			NAS1149D0363J	WASHER (OR AN960JD10)

• COPYRIGHT © 2011 BY DART AEROSPACE LTD. •

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Revision: C

Date: 14.12.01

Thursday, May 18, 2017 12:51:52 PM

Page i

Run	Start	*NR1*
	Stop	*NR2*

[illegible]



Transport Canada Transports Canada

Department of Transport

Supplemental Type Certificate

This approval is issued to:

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ONTARIO
K6A 1K7 CANADA

Number: SH02-33

Issue No.: 1

Approval Date: September 16, 2002

Issue Date: September 16, 2002

Responsible Office:

Ontario

Aircraft/Engine Type or Model:

EUROCOPTER AS 350B, AS 350B1, AS 350B2, AS 350B3,
AS 350BA, AS 350D, AS 350D1,
EUROCOPTER FRANCE AS 355E, AS 355F, AS 355F1,
AS 355F2

Canadian Type Certificate or Equivalent:

H-83, H-87

Description of Type Design Change:

Installation of Dual High Back Seat, Left Forward Position

Installation/Operating Data,
Required Equipment and Limitations:


Installation in accordance with Dart Aerospace Limited Installation Instructions IIN-D350-689, rev A, dated 01.05.30, or later Transport Canada approved revision.

Required Equipment

Instructions for Continued Airworthiness ICA-D350-689, rev 0, dated 01.05.01, or later Transport Canada accepted revision.

Flight Manual Supplement FMS-D350-689, rev A, dated 01.06.06, or later Transport Canada approved revision.

-- END --



Conditions: This approval is only applicable to the type/model of aeronautical product specified therein. Prior to incorporating this modification, the installer shall establish that the interrelationship between this change and any other modification(s) incorporated will not adversely affect the airworthiness of the modified product.

T.E. Gretton

A/Regional Manager, Aircraft Certification
For Minister of Transport

Canada